


1 745079-24-7/BI  
 (745079-24-7/RN)  
 1 745079-26-9/BI  
 (745079-26-9/RN)  
 1 745079-27-0/BI  
 (745079-27-0/RN)  
 1 745079-28-1/BI  
 (745079-28-1/RN)  
 1 745079-29-2/BI  
 (745079-29-2/RN)  
 1 75-36-5/BI  
 (75-36-5/RN)  
 1 81069-39-8/BI  
 (81069-39-8/RN)  
 1 83968-02-9/BI  
 (83968-02-9/RN)  
 1 867-13-0/BI  
 (867-13-0/RN)  
 1 93618-22-5/BI  
 (93618-22-5/RN)  
 1 95037-48-2/BI  
 (95037-48-2/RN)  
 1 994-89-8/BI  
 (994-89-8/RN)  
 77,526  
 L3 97 (1007-15-4/BI OR 10272-07-8/BI OR 10365-98-7/BI OR 119125-28-9/B  
 I OR 126085-91-4/BI OR 141763-48-6/BI OR 14337-43-0/BI OR 14367-  
 96-5/BI OR 14452-30-3/BI OR 1664-54-6/BI OR 185619-66-3/BI OR  
 20950-56-5/BI OR 2142-63-4/BI OR 2150-45-0/BI OR 227609-88-3/BI  
 OR 25245-27-6/BI OR 281204-55-5/BI OR 300865-11-6/BI OR 30578-88  
 -2/BI OR 3132-99-8/BI OR 3147-50-0/BI OR 33580-34-6/BI OR 452-82  
 -4/BI OR 497-06-3/BI OR 50-99-7/BI OR 52415-29-9/BI OR 540-51-2/  
 BI OR 54060-30-9/BI OR 553-90-2/BI OR 58313-23-8/BI OR 598-32-3/  
 BI OR 601-89-8/BI OR 616-25-1/BI OR 626-01-7/BI OR 68034-75-3/BI  
 OR 68332-33-2/BI OR 696-41-3/BI OR 73164-56-4/BI OR 74-89-5/BI  
 OR 745078-69-7/BI OR 745078-70-0/BI OR 745078-71-1/BI OR 745078-  
 72-2/BI OR 745078-73-3/BI OR 745078-74-4/BI OR 745078-75-5/BI  
 OR 745078-76-6/BI OR 745078-78-8/BI OR 745078-79-9/BI OR 745078-  
 82-4/BI OR 745078-83-5/BI OR 745078-84-6/BI OR 745078-85-7/BI  
 OR 745078-86-8/BI OR 745078-89-1/BI OR 745078-90-4/BI OR 745078-  
 91-5/BI OR 745078-92-6/BI OR 745078

=> d scan


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Buten-2-ol (7CI, 8CI, 9CI)  
 MF C4 H8 O  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):97


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzene, 1-fluoro-2-iodo-4-methyl- (9CI)  
 MF C7 H6 F I



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 4-[(acetyloxy)methyl]-5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]-, ethyl ester (9CI)  
 MF C26 H25 N O9

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 4-(hydroxymethyl)-5-(3-iodophenyl)-, ethyl ester (9CI)  
 MF C13 H12 I N O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN [1,1'-Biphenyl]-4-carboxylic acid, 3,3',5-trihydroxy-, methyl ester (9CI)  
 MF C14 H12 O5




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 4-amino-5-(3-bromophenyl)-, ethyl ester (9CI)  
 MF C12 H11 Br N2 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzamide, 2,6-dihydroxy-N-(phenylmethyl)- (9CI)  
 MF C14 H13 N O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-4-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-butenyl]phenyl]-, methyl ester (9CI)  
 MF C29 H35 N O8 Si

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]pentyl]phenyl]- (9CI)  
 MF C23 H23 N O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1S,2S)-2-[[3-hydroxy-2-(methoxycarbonyl)phenoxy]methyl]cyclopropyl]phenyl]- (9CI)  
 MF C22 H19 N O7


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5-[2-fluoro-5-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl] - (9CI)  
 MF C21 H16 F N O7

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5-[3-[[2-[3-hydroxy-2-[(methylamino)carbonyl]phenoxy]ethyl]amino]phenyl] - (9CI)  
 MF C20 H19 N3 O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5-[3-[[[1-acetyl-4-piperidiny]carbonyl]amino]phenyl] - (9CI)  
 MF C18 H19 N3 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-(3-oxobutyl)phenyl]-, methyl ester (9CI)  
 MF C15 H15 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-hydroxy-1-propenyl]phenyl]-,  
 ethyl ester (9CI)  
 MF C15 H15 N O4

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1H-Indole-1-ethanol, 6-bromo- (9CI)  
MF C10 H10 Br N.O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-(tributylstannyl)-, ethyl ester (9CI)  
MF C18 H33 N O3 Sn




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1,3-Dioxolane, 4-ethenyl-2,2-dimethyl- (9CI)  
MF C7 H12 O2  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenepropanoic acid, 3-iodo- (9CI)  
MF C9 H9 I O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1,1'-Biphenyl, 3,3',5-trimethoxy- (9CI)  
MF C15 H16 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Ethanone, 1-(3-iodophenyl)- (9CI)  
MF C8 H7 I O  
CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenamine, 3,5-dimethoxy- (9CI)  
MF C8 H11 N O2  
CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Ethanone, 1-(3-bromophenyl)- (9CI)  
MF C8 H7 Br O  
CI COM






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Acetic acid, (diethoxyphosphinyl)-, ethyl ester (9CI)  
 MF C8 H17 O5 P  
 CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 1,3-Benzenediol, 2-nitro- (9CI)  
 MF C6 H5 N O4  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Butene-1,2-diol (7CI, 8CI, 9CI)  
 MF C4 H8 O2  
 CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN D-Glucose (8CI, 9CI)  
 MF C6 H12 O6


CI COM

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 4-[(acetyloxy)methyl]-5-(3-iodophenyl)-, ethyl ester (9CI)  
MF C15 H14 I N O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]-4-(hydroxymethyl)- (9CI)  
MF C22 H19 N O8


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 4-amino-5-[3-[(1E)-3-hydroxy-1-propenyl]phenyl]-, ethyl ester (9CI)  
 MF C15 H16 N2 O4


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)-4-nitrophenoxy]-1-propenyl]phenyl]- (9CI)  
 MF C21 H16 N2 O9

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[1-[2-[3-hydroxy-2-(methoxycarbonyl)phenoxy]ethyl]-1H-indol-6-yl]- (9CI)  
 MF C22 H18 N2 O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-(1-oxopropyl)phenyl]-1-propenyl]phenyl]- (9CI)  
 MF C22 H19 N O6


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Cyclopropanecarboxylic acid, 2-(3-iodophenyl)-, ethyl ester, (1R,2R)- (9CI)  
 MF C12 H13 I O2


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-(3-hydroxy-2-nitrophenoxy)-1-propenyl]phenyl]- (9CI)  
MF C19 H14 N2 O7


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-[(methylamino)carbonyl]phenoxy]-1-propenyl]phenyl]- (9CI)  
MF C21 H18 N2 O6

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[[[(1,1-dimethylethoxy)carbonyl]amino]phenyl]-, ethyl ester (9CI)  
MF C17 H20 N2 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-(3-hydroxybutyl)phenyl]-, methyl ester (9CI)  
 MF C15 H17 N O4



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]-, ethyl ester (9CI)  
 MF C23 H21 N O7

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Phosphatase, protein phosphotyrosine, 1B (9CI)  
MF Unspecified  
CI COM, MAN

\*\*\* STRUCTURE DIAGRAM IS NOT AVAILABLE \*\*\*


\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenepropanol, 3-iodo- (9CI)  
MF C9 H11 I O




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenebutanoic acid, 3-bromo- $\alpha,\gamma$ -dioxo-, methyl ester (9CI)  
MF C11 H9 Br O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenepropanoic acid, 3-iodo- $\beta$ -oxo-, ethyl ester (9CI)  
MF C11 H11 I O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 1H-Indole, 6-bromo- (9CI)  
MF C8 H6 Br N  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN [1,1'-Biphenyl]-3,3',5-triol (9CI)  
MF C12 H10 O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Boronic acid, (3-methoxyphenyl)- (9CI)  
MF C7 H9 B O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzoic acid, 2,6-dihydroxy-, methyl ester (9CI)  
MF C8 H8 O4  
CI COM






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Stannane, tributylethynyl- (8CI, 9CI)  
 MF C14 H28 Sn  
 CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 1-Penten-3-ol (6CI, 7CI, 8CI, 9CI)  
 MF C5 H10 O  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Ethanol, 2-bromo- (6CI, 7CI, 8CI, 9CI)  
 MF C2 H5 Br O  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Methanamine (9CI)  
 MF C H5 N  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 4-[(acetyloxy)methyl]-5-[3-[(1E)-3-hydroxy-1-propenyl]phenyl]-, ethyl ester (9CI)  
MF C18 H19 N O6

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenepropanoic acid, 3-iodo- $\beta$ -oxo-, 1,1-dimethylethyl ester (9CI)  
MF C13 H15 I O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 4-amino-5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]-, ethyl ester (9CI)  
MF C23 H22 N2 O7


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 4-amino-5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]- (9CI)  
MF C21 H18 N2 O7


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[2-(acetylamino)-3-hydroxyphenoxy]-1-propenyl]phenyl]- (9CI)  
MF C21 H18 N2 O6


Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-4-hydroxy-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-butenyl]phenyl]- (9CI)  
MF C22 H19 N O8

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]butyl]-4-methoxyphenyl]- (9CI)  
 MF C23 H23 N O8




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5,5'-[1,1'-biphenyl]-3,3'-diylbis- (9CI)  
 MF C20 H12 N2 O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]propyl]phenyl]- (9CI)  
 MF C21 H19 N O7




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isoxazolecarboxylic acid, 5-(3-aminophenyl)-, ethyl ester (9CI)  
MF C12 H12 N2 O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isioxazolecarboxylic acid, 5-[3-[[2-[3-hydroxy-2-(methoxycarbonyl)phenoxy]ethyl]amino]phenyl]- (9CI)  
MF C20 H18 N2 O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3-Isioxazolecarboxylic acid, 5-[3-[3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]butyl]phenyl]- (9CI)  
MF C22 H21 N O7



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-(methoxycarbonyl)phenoxy]-1-propenyl]phenyl]- (9CI)  
 MF C21 H17 N O7

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Carbamic acid, (3-ethynylphenyl)-, 1,1-dimethylethyl ester (9CI)  
 MF C13 H15 N O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 4-Piperidinecarbonyl chloride, 1-acetyl-, hydrochloride (9CI)  
 MF C8 H12 Cl N O2 . Cl H




● HCl

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Acetamide, N-(2,6-dihydroxyphenyl)- (9CI)  
 MF C8 H9 N O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzenamine, 3-ethynyl- (9CI)  
 MF C8 H7 N  
 CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzene, 1-iodo-3,5-dimethoxy- (6CI, 8CI, 9CI)  
 MF C8 H9 I O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Acetic acid, chloro(hydroxyimino)-, ethyl ester (9CI)  
MF C4 H6 Cl N O3  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzaldehyde, 3-bromo- (9CI)  
MF C7 H5 Br O  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Ethanone, 1-(3-bromo-4-fluorophenyl)- (9CI)  
MF C8 H6 Br F O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzenamine, 3-iodo- (9CI)  
MF C6 H6 I N  
CI COM






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Ethanedioic acid, dimethyl ester (9CI)  
MF C4 H6 O4  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Acetyl chloride (8CI, 9CI)  
MF C2 H3 Cl O  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 2-Propen-1-ol, 1-(tributylstannyl)- (9CI)  
MF C15 H32 O Sn



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN 3,4-Isoxazoledicarboxylic acid, 5-(3-iodophenyl)-, 4-(1,1-dimethylethyl)  
3-ethyl ester (9CI)  
MF C17 H18 I N O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[[3',5-dihydroxy-4-(methoxycarbonyl)[1,1'-biphenyl]-3-yl]oxy]-1-propenyl]phenyl] - (9CI)  
 MF C27 H21 N O8

Double bond geometry as shown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-(3-bromophenyl)-4-nitro-, ethyl ester (9CI)  
 MF C12 H9 Br N2 O5



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[3-[(1E)-3-[3-hydroxy-2-  
 [(phenylmethyl)amino]carbonyl]phenoxy]-1-propenyl]phenyl]- (9CI)  
 MF C27 H22 N2 O6

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzoic acid, 2-[[1-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-2-  
 propenyl]oxy]-6-hydroxy-, methyl ester (9CI)  
 MF C18 H28 O5 Si




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-[4-fluoro-3-[3-[3-hydroxy-2-  
 (methoxycarbonyl)phenoxy]butyl]phenyl]- (9CI)  
 MF C22 H20 F N O7




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5,5'-[1,1'-biphenyl]-3,3'-diylbis-, dimethyl ester (9CI)  
 MF C22 H16 N2 O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5-[3-(3-hydroxypropyl)phenyl]-, ethyl ester (9CI)  
 MF C15 H17 N O4




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isioxazolecarboxylic acid, 5-[3-[(1-acetyl-4-piperidinyl)carbonyl]amino]phenyl]-, ethyl ester (9CI)  
 MF C20 H23 N3 O5




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS . REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Ethanol, 2-[(3-iodophenyl)amino]- (9CI)  
 MF C8 H10 I N O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Isoxazolecarboxylic acid, 5-(3-bromophenyl)-, methyl ester (9CI)  
 MF C11 H8 Br N O3



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 2-Propen-1-ol, 3-(3-iodophenyl)-, (2E)- (9CI)  
 MF C9 H9 I O

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzaldehyde, 4-fluoro-3-iodo- (9CI)  
 MF C7 H4 F I O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 3-Buten-2-ol, 1-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]- (9CI)  
 MF C10 H22 O2 Si



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN 2-Propenoic acid, 3-(3-iodophenyl)-, ethyl ester, (2E)- (9CI)  
 MF C11 H11 I O2

Double bond geometry as shown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzoic acid, 3-iodo-, ethyl ester (9CI)  
MF C9 H9 I O2




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzoic acid, 2,6-dihydroxy-3-nitro-, methyl ester (9CI)  
MF C8 H7 N O6




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Ethanone, 1-(3-bromophenyl)-2-nitro- (9CI)  
MF C8 H6 Br N O3  
CI COM




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
IN Benzamide, 2,6-dihydroxy- (9CI)  
MF C7 H7 N O3




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzenepropanoic acid, 3-amino- (9CI)  
 MF C9 H11 N O2  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L3 97 ANSWERS REGISTRY COPYRIGHT 2005 ACS on STN  
 IN Benzaldehyde, 3-iodo- (9CI)  
 MF C7 H5 I O



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED